

Dear Exhibitor,

Welcome to HOGA 2019 as an exhibitor.

As a service company, we are interested in efficient cooperation with our exhibitors without bureaucracy. However, due to the many technical and organizational instructions, it is impossible to manage without the "small print".

This Exhibitor's Manual is intended as a guide to help you in exhibiting. Please observe all the information and instructions contained in this manual, which has the status of site regulations, and ensure that you also inform. You and your staff accordingly are therefore requested to read this Exhibitor's Manual carefully.

This information and the "General Terms and Conditions for Exhibitions of the FAMA" are part of your contract for exhibiting at HOGA 2019.

AFAG Messen und Ausstellungen GmbH

Assembly and dismantling dates **Assembly:**

Start of assembly:	Wednesday, 9th January 2019, 7 a.m.
End of assembly:	Saturday, 12th January 2019, 4 p.m.

Assembly times:

Early assembly dates must be agreed with the exhibition management.

Wednesday,	9 th January 2019	7 a.m. - 12 p.m.
Thursday,	10 th January 2019	7 a.m. - 12 p.m.
Friday,	11 th January 2019	7 a.m. - 12 p.m.
Saturday,	12 th January 2019	7 a.m. - 4 p.m.

(finishing off work from 4 p.m. to 6 p.m.)

Stands whose assembly has not been started by **12 a.m. on Saturday, 12th January 2019** will be decorated at the exhibitor's cost if they are not otherwise disposed of.

Claims for compensation by the hirer are not admissible.

Dismantling:

Start of dismantling:	Tuesday, 15th January 2019, 6 p.m.
End of dismantling:	Thursday, 17th January 2019, 8 p.m.

Dismantling times:

Tuesday,	15 th January 2019	6 p.m. - 12 p.m.
Wednesday,	16 th January 2019	0 a.m. - 12 p.m.
Thursday,	17 th January 2019	12 p.m. - 8 p.m.

Extension of dismantling terms is not possible!

Passes are not required for assembly and dismantling.

Exhibitors are obliged to design their stands in a tidy and careful manner. Stands whose inadequate design adversely affects the overall appearance of the exhibition or hall will not be accepted by the Exhibition Management and will be subject to appropriate restrictions. This also applies to prohibited advertising.

Events such as tombola, competitions, quizzes, games with prizes or similar are not to be organized either for money or donations.

Stands which exceed the height of 2.50 m require the approval of the Exhibition Management.

All audio and visual advertising media are subject to registration and approval. All material used must be flame-retardant.

A uniform floor covering must be laid over the whole floor area of every stand in a hall. If a finished stand or system stand with fascia is not available, it is recommended that a fascia will be mounted.

The stand numbers will be mounted by the Exhibition Management.

The right is reserved to issue further instructions on stand design.

Exhibitor passes can be collected from the service counter in the Service Center Ost from 9th January 2019 onwards.

The number of exhibitor passes is based on Item 14 of the General Terms and Conditions for Exhibitions of the FAMA.

Additional passes can be purchased at a price of € 42.86 added VAT (€ 51.00 each incl. VAT), subject to entitlement and approval by the Exhibition Management.

Parking permits are obtainable from the Exhibition Management at a price of **€ 25.21 added VAT** (€ 30.00 each incl. VAT).

The trade fair is open from 10 a.m. - 6 p.m. from Sunday to Tuesday, 13th - 15th January 2019.

Exhibitors are admitted to the trade fair daily from 9 a.m. onwards. Stands must be manned by the exhibitors not later than 9.45 a.m.

The ticket offices close at 5 p.m.

Food and alcoholic drinks are not to be served after 6 p.m.

Visitors must leave the site by 6.30 p.m.

Exhibitors must leave the halls and site by 7 p.m.

Stand design

Exhibitor passes

Parking permits

Opening times



Traffic and parking regulations

Prohibited parking

The parking of all types of vehicles in the immediate surrounding of the halls and particularly in front of the exits is prohibited for **the duration of the trade fair**. Vehicles are only to stop at the above-mentioned points during **assembly and dismantling** of the trade fair for the **duration** of unloading or loading and they must be unloaded immediately. They are to be removed immediately **on completion of this activity** - to avoid obstructing the fire service. Road traffic regulations apply on the exhibition site.

Traffic regulations

1. Assembly days

From **Wednesday, 9th January 2019**, access to the exhibition site is only permitted to vehicles with an entrance permit obtainable on payment of a deposit of **€ 100.00**. This entrance permit is valid for **1 hour for cars** and **3 hours for trucks**. The deposit will be returned if the vehicle leaves the site on time and retained if the vehicle exceeds the time limit. These times may be reduced and the deposit increased depending on the amount of traffic.

2. Exhibition days

On payment of a security charge deposit of € 100.00, you may use one of the parking spaces approved by the fire service for loading and unloading (provided a spare parking space is available).

The deposit charge is forfeited and the vehicle towed away at the owner's cost if the **maximum parking time of 30 minutes** is exceeded.

3. Dismantling days

Free access for all vehicles (subject to compliance with **paragraph "Prohibited parking"**) from **6.30 p.m. on Tuesday, 15th January 2019**. Subject to alteration.

Protection against theft

Incidents of theft are comparatively seldom at our exhibitions. Constant efforts are necessary to prevent theft. AFAG Messen und Ausstellungen GmbH achieves this by security checks and guarding, but this guarding does not cover the individual stands. Please support these efforts by observing the following instructions:

1. Assembly

Do not leave your stand unattended after delivery of your exhibits. Although the halls are closed and guarded at night, you should still safeguard all handy and valuable exhibition goods. We therefore recommend an additional stand guard for the nights during the event. You can hire lockable cabinets and show-cases from our approved contractors. Your cubicle can also be equipped with a lockable door (Forms 8).

2. Duration of event

Man your stand before the opening time for visitors and do not leave it unmanned during the lunch break. Exhibition stands at risk to theft should be specially secured. We recommend that you also secure your complete stand at night with a curtain.

3. Dismantling

Most thefts occur in the first 3-4 hours of dismantling. You should therefore not leave your stand until valuable exhibits have been loaded or handed over to the forwarding agent. Should this not be possible for special reasons, please order a stand guard for the period from the end of the event until the start of dismantling your stand.

The organizer carries out random checks of the authorization of the persons engaged in dismantling. You should therefore issue the person responsible for dismantling your stand with a certificate indicating which stand the team is to dismantle.

4. Theft reporting

Report any incident of theft without delay to the Exhibition Management, who will also inform you to which police station you should report the theft.

The project management and technical department will be pleased to advise. The Exhibition Management reserves the right to issue special instructions on theft prevention to individual exhibitors. Please check your theft insurance. It is recommended that exhibition insurance is be taken out.

Thank you for your assistance.



AFAG Messen und Ausstellungen GmbH

Deadline
16. 11. 2018

Electricity supply

Company: _____

Address: _____

Person responsible: _____

Tel: _____ / _____

Fax: _____ / _____

E-Mail: _____

Hall:

Stand:

VAT ID number of exhibitor:

[illegible]

Order

Payment of the services ordered is due immediately on receipt of the invoice, which will be issued before the start of the event!

1. Main supply

EUR

- | | | |
|------------------------------|--|------------|
| <input type="checkbox"/> 1.1 | up to 3 kW (230 V / 16 A), including safety socket, earth-leakage circuit-breaker | 129.10 |
| <input type="checkbox"/> 1.2 | up to 3 kW (230 V / 16 A), including 3-way safety socket, earth-leakage circuit-breaker | 147.20 |
| <input type="checkbox"/> 1.3 | up to 2 x 3 kW (2 x 230 V / 16 A), including 2 safety sockets, 2 earth-leakage circuit-breakers | 194.20 |
| <input type="checkbox"/> 1.4 | up to 9 kW (230 V / 400 V), including 1 CEE coupler 16 A and distribution panel type 1 if required <input type="checkbox"/> yes <input type="checkbox"/> no
expected load rating in kW _____ | 327.30 |
| <input type="checkbox"/> 1.5 | up to 20 kW (230 V / 400 V), including 1 CEE coupler 32 A and distribution panel type 2 if required <input type="checkbox"/> yes <input type="checkbox"/> no
expected load rating in kW _____ | 479.30 |
| <input type="checkbox"/> 1.6 | up to 40 kW (230 V / 400 V), including 1 CEE coupler 63 A, 1 safety socket, fuses and earth-leakage circuit-breaker
expected load rating in kW _____ | 753.60 |
| <input type="checkbox"/> 1.7 | up to 83 kW (230 V / 400 V), including 1 CEE coupler 125 A, metering necessary in separate sub-distributor
expected load rating in kW _____ | 1,754.40 |
| <input type="checkbox"/> 1.8 | up to 130 kW (230 V / 400 V), with unterminated cable ends, metering necessary in separate sub-distributor
expected load rating in kW _____ | 2,890.30 |
| <input type="checkbox"/> 1.9 | connections rated above 130 kW and outdoor connections charged according to outlay | on request |

2. Distribution panel from main supply

EUR

incl. installation, dismantling and rental fee (from Item 1.4)

- | | | | |
|--------------------------|-----|--|------------|
| <input type="checkbox"/> | 2.1 | distribution panel type 1 (1 pc. included in Item 1.4 if required)
up to 9 kW with 2 earth-leakage circuit-breakers and
4 safety sockets, 1 CEE socket 16 A, 5-poles | 131.30 |
| <input type="checkbox"/> | 2.2 | distribution panel type 2 (1 pc. included in Item 1.5 if required)
up to 20 kW with earth-leakage circuit-breaker and
trip fuses, 6 safety sockets and 2 CEE sockets 16 A,
5-poles, with 3-pole 16 A trip fuses | 196.50 |
| <input type="checkbox"/> | 2.3 | distribution panel type 3
up to 40 kW with trip fuses, 14 safety sockets and
2 CEE sockets 16 A, 5-poles | 226.40 |
| <input type="checkbox"/> | 2.4 | distribution panel type 4
up to 40 kW with 4 trip fuses and
4 CEE sockets 32 A, 5-poles | 226.40 |
| <input type="checkbox"/> | 2.5 | distribution panel type 5
up to 83 kW with trip fuses, 2 CEE sockets 63 A
and 6 CEE sockets 32 A | 303.40 |
| <input type="checkbox"/> | 2.6 | distribution panel rated above 83 kW | on request |
| <input type="checkbox"/> | 2.7 | hourly rate for fitter including all surcharges | 44.20 |
| <input type="checkbox"/> | 2.8 | hourly rate for master craftsman/technician including all surcharges | 66.75 |

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

3. Lighting

EUR/piece

3.1 ARRI fresnel spotlights

with softly defined light output,
rotating barn doors for light control

- | | |
|---|-------------------|
| <input type="checkbox"/> 3.1.1 650 W, 3000 Kelvin (3.1 kg) | 71.80 _____ piece |
| <input type="checkbox"/> 3.1.2 1000 W, 3000 Kelvin (6.0 kg) | 78.50 _____ piece |

3.2 PAR spotlights

(Item 3.2.1 suitable for mounting on stand fascia/wall)

- | | |
|---|-------------------|
| <input type="checkbox"/> 3.2.1 PAR 20, 75 W, 3000 Kelvin (1.1 kg),
single installation | 55.60 _____ piece |
| <input type="checkbox"/> 3.2.2 LED-PAR AT3 Tri-Color, 18x3 W, RGB / (1.5 kg) | 96.30 _____ piece |

3.3 Multi-lens spotlights

Light power of a conventional spotlight with low power consumption

- | | |
|--|-------------------|
| <input type="checkbox"/> 3.3.1 ML56, CDM-T, 190 W (7 kg) | 78.45 _____ piece |
| <input type="checkbox"/> 3.3.2 ML64, GKV, 600 W (3.5 kg) | 78.45 _____ piece |

3.4 Area floodlights (halogen / HQI lamps)

(Item 3.4.4 – 3.4.6 suitable for mounting on stand fascia/wall)

- | | | | | |
|--------------------------------|--|------------|-------|-------|
| <input type="checkbox"/> 3.4.1 | wide-angle halogen lamp
HQI, 150 W, 4200 Kelvin (4.5 kg) | 77.30 | _____ | piece |
| <input type="checkbox"/> 3.4.2 | wide-angle halogen lamp
HQI, 150 W, 4200 Kelvin (4.5 kg) / from 5 pieces | 56.30 | _____ | piece |
| <input type="checkbox"/> 3.4.3 | wide-angle halogen lamp
HQI, 400 W, 4200 Kelvin (13.2 kg) | 122.15 | _____ | piece |
| <input type="checkbox"/> 3.4.4 | Halogen spotlight up to 200 W, 3000 Kelvin
(-1.2 kg), in a rail, including bulb | each 63.14 | _____ | piece |
| <input type="checkbox"/> 3.4.5 | Halogen spotlight up to 200 W, 3000 Kelvin
(-1.2 kg), from 5 pieces in a rail, including bulb | each 51.00 | _____ | piece |
| <input type="checkbox"/> 3.4.6 | Halogen spotlight up to 200 W, 3000 Kelvin (-1.2 kg),
with arm (-500 mm), including bulb | 44.70 | _____ | piece |

3.5 LED flood lights

LED flood lights
(Not suitable for mounting on stand fascia/wall)

- | | | | | |
|--------------------------------|--|--------|-------|-------|
| <input type="checkbox"/> 3.5.1 | Expolite TourLED 42CM WP, 42 W, RGB (4.8 kg) | 74.87 | _____ | piece |
| <input type="checkbox"/> 3.5.2 | RUSH PAR 2 RGBW Zoom 120 W, RGBW (5.5 kg) | 93.95 | _____ | piece |
| <input type="checkbox"/> 3.5.3 | SGM P-2 LED, 275 W, RGBW (6.1 kg) | 99.58 | _____ | piece |
| <input type="checkbox"/> 3.5.4 | SGM P-5 TW LED floodlight, 400W, RGBW, (8.9 kg) | 116.33 | _____ | piece |
| <input type="checkbox"/> 3.5.5 | SGM Q-7 LED floodlight, cool white, 550W 65000 lumens (8.1 kg) | 130.87 | _____ | piece |
| <input type="checkbox"/> 3.5.6 | SGM Q-7 Color LED floodlight, 465W RGBW (8.1 kg) | 113.56 | _____ | piece |

Place and date

Company stamp and authorized signature

Electricity supply

Order (continued)

4. Electricity fee

- 4.1** Please let us know which kind of electrical energy you require!
(If information is missing we will invoice green electricity)
- ☐ **4.2 Flat-rate charge for electricity fee for green electricity**
- | | Item | EUR/day |
|-----------------------------------|------------------|---------|
| 4.2.1 for main supply up to 3 kW | (Item 1.1 – 1.2) | 8.45 |
| 4.2.2 for main supply up to 6 kW | (Item 1.3) | 16.90 |
| 4.2.3 for main supply up to 9 kW | (Item 1.4) | 35.70 |
| 4.2.4 for main supply up to 20 kW | (Item 1.5) | 67.90 |
| 4.2.5 for main supply up to 40 kW | (Item 1.6) | 122.45 |
| 4.2.6 for main supply above 40 kW | (Item 1.7 – 1.9) | 276.30 |
- a fixed daily fee of
The final amount based on the actual metered consumption (4.2.6)
will be invoiced after the end of the event (kWh x EUR 0.52/kWh).
Any overpayment/underpayment will be refunded/charged as applicable.
- ☐ **4.3 Flat-rate charge for electricity fee for non green electricity**
- | | Item | EUR/day |
|-----------------------------------|------------------|---------|
| 4.3.1 for main supply up to 3 kW | (Item 1.1 – 1.2) | 7.65 |
| 4.3.2 for main supply up to 6 kW | (Item 1.3) | 15.30 |
| 4.3.3 for main supply up to 9 kW | (Item 1.4) | 32.30 |
| 4.3.4 for main supply up to 20 kW | (Item 1.5) | 61.40 |
| 4.3.5 for main supply up to 40 kW | (Item 1.6) | 110.70 |
| 4.3.6 for main supply above 40 kW | (Item 1.7 – 1.9) | 249.80 |
- a fixed daily fee of
The final amount based on the actual metered consumption (4.3.6)
will be invoiced after the end of the event (kWh x EUR 0.47/kWh).
Any overpayment/underpayment will be refunded/charged as applicable.

All prices in EURO plus VAT at the statutory rate.
Please submit a plan of the stand overleaf showing the position of the required connection points.

- We use a raised floor with a height of _____ mm ☐ yes ☐ no
Electrical grounding of stand is required (metal stand): ☐ yes ☐ no
☐ by SPIE SAG GmbH, see item 5.15
☐ by our own electricians or our stand construction company

All prices in EURO plus VAT at the statutory rate.

Orders must be received in a complete and correct form within the deadline set for the respective event. SPIE SAG GmbH is under no obligation to provide services for orders that do not meet these requirements.
From 21 days prior to the event, orders or changes to existing orders – insofar as SPIE SAG GmbH can still process them – will be subject to a 25 % surcharge for fixed-price services or a 50 % surcharge for services based on the amount of time involved.

Further information and the Special Conditions for Services of SPIE SAG GmbH for electricity supply can be found on our Internet site at www.spie-servicepartner.de.

SPIE SAG GmbH
Messezentrum
Service Partner Center
90471 Nürnberg
Tel +49 (0) 9 11. 81 88 18-0
Fax +49 (0) 9 11. 81 88 18-19
sag-messe@spie.com
www.spie-servicepartner.de

5. Stand installation / rental of material

Installation, dismantling and rental fee from main supply

- | | piece | EUR |
|--|---------|--------|
| <input type="checkbox"/> 5.1 cable Cat 6 with RJ45 plug at each end | @ | 77.30 |
| <input type="checkbox"/> 5.2 safety socket 230 V / 16 A, in various lengths | @ | 35.65 |
| <input type="checkbox"/> 5.3 safety socket 230 V / 16 A, 3-way, in various lengths | @ | 42.05 |
| <input type="checkbox"/> 5.4 CEE socket up to 400 V / 16 A, 5-pole, in various lengths | @ | 53.20 |
| <input type="checkbox"/> 5.5 CEE socket up to 400 V / 32 A, 5-pole, in various lengths | @ | 63.55 |
| <input type="checkbox"/> 5.6 CEE socket up to 400 V / 63 A, 5-pole, in various lengths | @ | 73.80 |
| <input type="checkbox"/> 5.7 CEE socket up to 400 V / 125 A, 5-pole, in various lengths | @ | 125.25 |
| <input type="checkbox"/> 5.8 adapter, input CEE 16 A, 5-pole, output 3 x safety sockets, 3-pole, 230 V | @ | 14.85 |
| <input type="checkbox"/> 5.9 adapter, input CEE 16 A, 5-pole, 400 V, output CEE 32 A, 5-pole, 400 V | @ | 21.85 |
| <input type="checkbox"/> 5.10 adapter, input CEE 32 A, 5-pole, 400 V, output CEE 16 A, 5-pole, 400 V, with 16 A fuse | @ | 45.00 |
| <input type="checkbox"/> 5.11 adapter, input CEE 32 A, 5-pole, 400 V, output CEE 63 A, 5-pole, 400 V | @ | 49.90 |
| <input type="checkbox"/> 5.12 adapter, input CEE 63 A, 5-pole, 400 V, output CEE 125 A, 5-pole, 400 V | @ | 92.25 |
| <input type="checkbox"/> 5.13 CEE cross coupler, input CEE 16 A, 5-pole, 400 V, output 3 x CEE 16 A, 5-pole, 400 V | @ | 30.65 |
| <input type="checkbox"/> 5.14 CEE cross coupler, input CEE 32 A, 5-pole, 400 V, output 3 x CEE 32 A, 5-pole, 400 V | @ | 41.90 |
| <input type="checkbox"/> 5.15 Electrical grounding / equipotential bonding | @ | 47.65 |

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature



Adjacent stand no.:

Special Conditions for Services provided by the ServicePartners HILPERT/Brochier (Water supply and drainage)

A Payment / charges

The connection and installation costs are charged to exhibitors by the appointed ServicePartner. Invoices must be checked without delay. The following credit cards are accepted: American Express, MasterCard, VISA.

1. A charge of EUR 250 will be made if the exhibitor opens and connects pipes on other neighboring stands or connects equipment himself.
2. Surcharges on the normal price for orders received later than 21 days before the start of the event
Services at fixed prices 25 %
Work at hourly rates 50 %
3. The prices stated are based on the wages for a 40-hour week. A surcharge of 25 % on fixed-price services and 50 % on services at the hourly rate may be payable for services not notified by the date fixed for the start of assembly or which could not be started on this date due to incomplete or unclear order information.
4. A processing fee of EUR 50 plus VAT at the statutory rate will be charged for issuing a new invoice due to incorrect information provided by the applicant. This fee will be included in the new invoice issued.

B Rules / conditions

1. The order and stand plan must be submitted to the organizer not later than 21 days before the start of the event.
An express surcharge as per Section A, Para. 2 will be levied on orders submitted late.
2. Connections to the supply duct and equipment (e.g. sinks, dishwashers, etc.) are only to be made by the ServicePartner. If equipment is nevertheless connected by the exhibitor, an acceptance inspection fee will be charged as per Section A, Para. 1.
3. Opening the supply ducts and tapping off water by the exhibitor is strictly prohibited! Likewise tapping off water from existing pipes. Any damage caused by contraventions will be charged to the stand owner/person causing the damage together with a penalty as per Section A, Para. 1.
4. Water pipes, shut-off valves, taps, sinks, dishwashers, etc. are rented out by the ServicePartner and remain his property. The exhibitor is to ensure that the material used is available complete and undamaged at the end of the event ready for removal by or handing over to the ServicePartner.
Any missing or damaged parts will be charged to the exhibitor at the cost of replacement. Sinks and basins are to be cleaned and any traces of paint removed. In the event of contravention, the cost of cleaning will be charged to the exhibitor.
5. Shut-off valves (ball valves) must be turned off every evening. Damage caused by valves not turned off will be charged to the exhibitor.
6. Excessive water consumption (e.g. swimming pools, permanent operation of equipment, etc.) will be charged extra.
7. The installation of rubber water hoses of any kind is strictly prohibited.
8. No liability is accepted for the effects of loss of pressure, pressure fluctuations or damage to appliances.

C Complaints / cancellation

1. Cancellations are only possible up to 21 days before the official assembly date. The services ordered will be billed if cancelled later.
2. The list of measurements presented to the exhibitor and/or person ordering must be checked without delay then signed and returned, as this list is subsequently the basis for the invoice.
3. Complaints concerning the extent of services charged are to be checked and reported to the ServicePartner before dismantling the stand. Complaints cannot be accepted after the event because there is no possibility of properly checking the services provided.

ServicePartners:

Halls 3A, 4A, 7A, 3-7
August & Jean HILPERT
Messe-Service GmbH
Messezentrum
90471 Nürnberg
ServicePartnerCenter
(2nd floor, room 2.40)
T +49 9 11 37 66 38-0
T +49 1 71 3 30 11 46 (emergency call)
F +49 9 11 37 66 38-29
service@hilpert-messe.de
www.hilpert-messe.de

Halls 1, 2, 3C, 8-12 Brochier

Messezentrum Nürnberg
ServicePartnerCenter
T +49 9 11 9 81 29 69
T +49 1 51 12 24 24 94 (emergency call)
F +49 9 11 9 81 29 79
sp-messe-nbg@a-brochier.de
www.a-brochier.de

Brochier
Gebäudemanagement GmbH
Schüblerstraße 8
90482 Nürnberg
T +49 9 11 54 42-3 33
F +49 9 11 54 42-2 45

Plan of water supply and drainage




Important! This plan is only for use with this form and not for stand construction purposes!

Status: 10.10.2018 · Changes and errors excepted.

Illustration of hire equipment

Equipment	Designation
	4.1 Single sink H x W x D 85 x 50 x 53 cm
	4.2 Single sink with drainer H x W x D 85 x 80 x 53 cm
	4.3 Double sink H x W x D 85 x 80 x 53 cm
	4.4 Single sink with drainer and water heater H x W x D 85 x 80 x 53 cm
	4.5 Single sink with drainer (pump-operated) H x W x D 85 x 80 x 53 cm
	4.6 Kitchen unit, with 2 hotplates, refrigerator, water heater H x W x D 90 x 90 x 60 cm
	4.7 Thermofix water heater
	4.8 Catering glass dishwasher for cups or glasses programme time approximately 3-5 min. H x W x D 86 x 60 x 60 cm 230 V/3.5 kW
	4.9 Catering dishwasher for crockery programme time approximately 3-5 min. H x W x D 135 x 60 x 60 cm 230 V/3.5 kW

Example of plan



- ⊙ water supply with position of pipes
- drainage with position of pipes
(not binding, as the position of pipes generally depends on the connection possibilities.)
- X** water heater
- sink
- S** dishwasher

Return to
AFAG Messen und Ausstellungen GmbH
Messezentrum 1, 90471 Nürnberg
Tel +49(0)911-98833-7000

or per Fax to +49(0)911-98833-7999
E-Mail: kundenbetreuung@afag.de

for forwarding
to our approved contractor *

Deadline
16. 11. 2018

Hire of extra stand equipment, floor coverings and furniture

Company: _____

Address: _____

Person responsible: _____

Tel: _____ / _____

Fax: _____ / _____

E-Mail: _____

Hall:

Stand:

Order: for Special Conditions for Services have a look at Form 8.

The extra stand equipment and rental furniture available for your stand can be seen on the following pages.

VAT ID number of exhibitor:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Please indicate the desired article numbers and quantities, if possible on your plan of the stand.

Erfolg
reiche
Zeit
Räume



**Trade fair.
Effective use of
time and space.**

Creative stand construction

System stand

Rental furniture & Accessoires

 messebau
wörnlein

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time.


With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date


Company stamp and authorized signature

Order: Floor coverings


Equipment	Description	Qty./ m/m²	EUR
	1. Art. Carpet , in rolls, new, including disposal and dust sheet <input type="checkbox"/> Felt carpet , colors: m² <input type="checkbox"/> gray <input type="checkbox"/> anthracite <input type="checkbox"/> blue <input type="checkbox"/> red <input type="checkbox"/> green <input type="checkbox"/> beige <input type="checkbox"/> brown <input type="checkbox"/> Ribbed carpet , colors: m² <input type="checkbox"/> silver <input type="checkbox"/> anthracite <input type="checkbox"/> black <input type="checkbox"/> medium blue <input type="checkbox"/> dark blue <input type="checkbox"/> red <input type="checkbox"/> green <input type="checkbox"/> other colors and qualities		9.90 9.95 on request
	2. Art. <input type="checkbox"/> False floor m² 22 mm chipboard; suitable for laying cables; aluminum edging strip a) Laminate , from 24 m², including m² sub-structure and aluminum border <input type="checkbox"/> beech <input type="checkbox"/> oak <input type="checkbox"/> ash <input type="checkbox"/> hickory oak b) Digital print on flooring: Vinyl flooring, 2 mm, B1, individual price incl. laying, removal and disposal <input type="checkbox"/> from 10 m² m² <input type="checkbox"/> from 30 m² m² <input type="checkbox"/> from 50 m² m² c) Vinyl flooring in: <input type="checkbox"/> Griffio (dark gray) m² <input type="checkbox"/> white m² <input type="checkbox"/> concrete optic m² <input type="checkbox"/> walnut tree optic m² <input type="checkbox"/> block pavement optic m²		16.90 36.50 60.20 57.10 51.00 18.15 18.15 18.15 18.15 18.70
			

Equipment	Description	Qty./ m/m²	EUR
	6. Art. Screen wall element (in addition to the system wall) a) Height: 2.55 m <input type="checkbox"/> white, thickness 19 mm each <input type="checkbox"/> light gray, thickness 19 mm each <input type="checkbox"/> MDF (medium density fibreboard) abrasive, non-painted, thickness 16 mm each b) Height: 3.55 m <input type="checkbox"/> white, thickness 19 mm each <input type="checkbox"/> light gray, thickness 19 mm each <input type="checkbox"/> MDF (medium density fibreboard) abrasive, non-painted, thickness 16 mm each		70.30 70.30 77.50 103.75 103.75 111.65
	7. Art. <input type="checkbox"/> Cubicle curtain each height: 2.20 m, width: 1.00 m <input type="checkbox"/> gray <input type="checkbox"/> blue <input type="checkbox"/> black <input type="checkbox"/> red please indicate position on plan		34.20
	8. Art. Light column 2.50 m high, segment-shaped curved acryl glass, back-lit, approx. 1.00 m wide, free-standing arrangement possible. <input type="checkbox"/> without digital printing each <input type="checkbox"/> with digital printing on one side each <input type="checkbox"/> with digital printing on both sides each Print data are provided by the customer in each case. Light column 4.00 m high, as above <input type="checkbox"/> without digital printing each <input type="checkbox"/> with digital printing on one side each <input type="checkbox"/> with digital printing on both sides each <input type="checkbox"/> 1-way power point each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the light column/order it from them.		295.00 456.00 613.00 437.00 669.00 904.00 36.00

Wall elements, doors, curtains

	3. Art. Wall element with metal frame height: 2.50 m, width: 1.00 m (also available in widths: 0.25/0.35/0.50/0.70 m) a) Wall element , meroform (chrome/steel) <input type="checkbox"/> plastic-coated, matt white each <input type="checkbox"/> perforated board, white each <input type="checkbox"/> other colors b) Wall extension of 1 m, meroform, at additional costs, plain <input type="checkbox"/> plastic-coated, matt white each <input type="checkbox"/> plastic-coated, black each c) Door meroform <input type="checkbox"/> hinged door, white each <input type="checkbox"/> hinged door, other colors each <input type="checkbox"/> folding door, white each		34.30 35.70 on request 28.10 39.90 81.50 on request 109.90
	4. Art. a) Wall elements Syma (Alu) <input type="checkbox"/> plastic coated, matt white each <input type="checkbox"/> black each <input type="checkbox"/> blue each <input type="checkbox"/> red each <input type="checkbox"/> concrete optic each <input type="checkbox"/> perforated board, white each b) Wall elements, Syma <input type="checkbox"/> hinged door, white each		34.30 49.20 49.20 49.20 49.20 35.70 81.50
	5. Art. a) Wall element , Axiom system, white <input type="checkbox"/> plastic-coated, matt white each b) Door , Axiom system <input type="checkbox"/> hinged door, white each <input type="checkbox"/> folding door, white each		34.30 81.50 109.90

Painting, fabrics, digital printing






	9. Art. Painted MDF board, including acrylization <input type="checkbox"/> please state RAL no.: _____ or enclose color sample!	m²	17.80
	10. Art. <input type="checkbox"/> Decorative fabric various colors on request width: 1.30 m flame-retardant impregnation <input type="checkbox"/> Decorative fabric , as above, including guying, removing and disposal	m m	8.90 14.70
	11. Art. <input type="checkbox"/> Digital printing on 140–190 g paper, color print Digital print on self-adhesive foil <input type="checkbox"/> excluding assembly <input type="checkbox"/> including assembly	m² m² m²	39.80 54.00 76.50

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Counters (continued)

Equipment	Description	Qty./ m/m ²	EUR
	23. Art. <input type="checkbox"/> Info counter Mero each with curved raised top width: 1.05 m, depth: 0.55 m; overall height: 1.10 m top: approximately 1.60 x 0.40 m; color of main unit: <input type="checkbox"/> white <input type="checkbox"/> anthracite color of top: <input type="checkbox"/> blue <input type="checkbox"/> red <input type="checkbox"/> beech		161.30
	24. Art. <input type="checkbox"/> Counter "Circle" each gray, door at back, silver front with back-lit acryl glass strips: <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> green <input type="checkbox"/> white glass top, width 1.50 m, depth: 0.60 m, overall height: 1.10 m <input type="checkbox"/> other widths <input type="checkbox"/> 1-way power point each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are work- ing with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the counter/order it from them.	on request 36.00	318.20
	25. Art. <input type="checkbox"/> Counter "Wave" each corpus light gray, door at back, width: 1.05 m, depth: 0.55 m, overall height: 1.05 m, front color: <input type="checkbox"/> aluminum wave <input type="checkbox"/> Wengé		159.00
	26. Art. <input type="checkbox"/> Counter "Cube" each corpus gray, back side 1/2 open, 1/2 lockable, width: 2.33 m, depth: 0.60 m, height: 1.10 m, clip afloat 0.40 m deep: <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> basalt gray		424.30
	27. Art. <input type="checkbox"/> Counter "Unit" white body, back-lit acryl glass front panel, 1.25 x 0.64 m, h = 1.15 m each <input type="checkbox"/> Corner element "Unit" , white body, back-lit acryl glass front panel, 0.77 x 0.77 m, h = 1.15 m each <input type="checkbox"/> 1-way power point each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are work- ing with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the counter/order it from them.		326.40 275.70 36.00

Showcases

Equipment	Description	Qty./ m/m ²	EUR
	28. Art. <input type="checkbox"/> Table showcase Syma, each with base unit, width: 1.05 m, depth: 0.55 m, overall height: 1.05 m; glass case: 0.35 m, lockable, base unit: with sliding door, lockable <input type="checkbox"/> LED lighting each for table showcase Syma <input type="checkbox"/> 1-way power point each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are work- ing with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the showcase/order it from them.		133.50 62.50 36.00
	29. Art. <input type="checkbox"/> Showcase lean, with base unit, width: 0.50 m, each depth: 0.50 m, aluminum, base unit: closed, overall height: 1.88 m; aluminum frame with glass, lockable, with 3 glass shelves and light. <input type="checkbox"/> Extra glass shelf each <input type="checkbox"/> 1-way power point each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are work- ing with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the showcase/order it from them.		238.00 18.70 36.00
	30. Art. <input type="checkbox"/> Showcase broad, fully glazed each width: 1.00 m, depth: 0.55 m, overall height: 1.88 m, lockable, aluminum frame with glass, with 3 glass shelves and light. <input type="checkbox"/> Extra glass shelf each <input type="checkbox"/> 1-way power point each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are work- ing with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the showcase/order it from them.		275.90 16.90 36.00
	31. Art. <input type="checkbox"/> Showcase lean, fully glazed each width: 0.52 m, depth: 0.55 m, overall height: 1.88 m, lockable, aluminum frame with glass, with 3 glass shelves and light <input type="checkbox"/> Extra glass shelf each <input type="checkbox"/> 1-way power point each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are work- ing with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the showcase/order it from them.		229.20 18.70 36.00

All counters can be extended or fitted around corners on request.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).









Place and date





Company stamp and authorized signature

Order: Tables, standing tables (continued)





Equipment	Description	Qty./ m/m²	EUR
	44. Art. <input type="checkbox"/> Table "Pixo" each Inox frame top: <input type="checkbox"/> white or <input type="checkbox"/> anthracite 0.70 x 0.70 m		39.30
	45. Art. Standing table "Pixo" each Inox frame top: <input type="checkbox"/> white or <input type="checkbox"/> anthracite 0.70 x 0.70 m		46.70
	46. Art. <input type="checkbox"/> Standing table "high tech" each height: 1.10 m, diameter: 0.70 m, frame: stainless steel top: satinized glass, 8 mm		89.70

Chairs



	47. Art. <input type="checkbox"/> Upholstered chair "Thonet" each with arm rest, frame: chrome upholstery: black		43.40
	48. Art. <input type="checkbox"/> Chair "m.o.d." each frame: silver effect, seat: <input type="checkbox"/> without armrest <input type="checkbox"/> with armrest		39.90
	49. Art. <input type="checkbox"/> Chair "Relax" each frame: gray, seat: black leather		36.20
	50. Art. <input type="checkbox"/> Designer chair "SIM" each frame: chrome seat: white plastic		38.10
	51. Art. <input type="checkbox"/> Wicker chair , frame: chrome each seat: wicker work synthetic ecru		22.80
	52. Art. <input type="checkbox"/> Chair "Rondo" each frame: chrome, seat: beech <input type="checkbox"/> natural beech <input type="checkbox"/> red <input type="checkbox"/> orange <input type="checkbox"/> light blue <input type="checkbox"/> apple green <input type="checkbox"/> gray <input type="checkbox"/> white		22.40
	53. Art. <input type="checkbox"/> Designer chair "Ken" each frame: chrome, seat: beech varnished in wenge color		22.10
	54. Art. <input type="checkbox"/> Designer chair "Ken" each frame: metall black, seat: white		22.10

	55. Art. Upholstered chair "Classic" each <input type="checkbox"/> frame: chrome/anthracite, upholstery: <input type="checkbox"/> anthracite <input type="checkbox"/> blue <input type="checkbox"/> red <input type="checkbox"/> brown		18.70
	56. Art. <input type="checkbox"/> Upholstered chair "Opus" each frame: chrome, upholstery: black		20.50
	57. Art. <input type="checkbox"/> Plastic chair , frame chrome each plastic: gray, upholstery: gray		14.60
	58. Art. <input type="checkbox"/> Folding chair each <input type="checkbox"/> beech <input type="checkbox"/> metal, white		12.30

Bar stools

	59. Art. <input type="checkbox"/> Bar stool "Coma" each seat height: 0.75 m, frame: silver/chrome, seat: anthracite		44.50
	60. Art. <input type="checkbox"/> Bar stool "Z" seat height: 0.90 m, upholstery: imitation leather, frame: chrome <input type="checkbox"/> black <input type="checkbox"/> white each <input type="checkbox"/> red <input type="checkbox"/> apple green <input type="checkbox"/> orange each		25.50 30.80
	61. Art. <input type="checkbox"/> Bar stool "Opus" each with backrest; seat height: 0.85 m, upholstery: black, frame: chrome		25.40
	62. Art. <input type="checkbox"/> Bar stool "Rondo" seat height: 0.90 m, frame: chrome <input type="checkbox"/> seat: beech each <input type="checkbox"/> seat: white each		37.60 43.40

Lounge furniture




	63. Art. <input type="checkbox"/> Armchair "Romeo" each seat: black leather		63.20
	64. Art. <input type="checkbox"/> Bench each width: 1.20 m, depth: 0.45 m height: 0.46 m upholstery synthetic leather <input type="checkbox"/> red <input type="checkbox"/> anthracite		65.20

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).



Place and date

Company stamp and authorized signature

Order: Lounge furniture (continued)

Equipment	Description	Qty./ m/m²	EUR
	65. Art. <input type="checkbox"/> Cube seat each imitation leather, 0.45 x 0.45 x 0.45 m <input type="checkbox"/> red <input type="checkbox"/> gray <input type="checkbox"/> anthracite		22.30
	66. Art. <input type="checkbox"/> Side table "Romeo" each frame: aluminum look top: satinized glass, 0.40 x 0.40 cm		48.30
	67. Art. <input type="checkbox"/> Side table "Domino" each chromium frame, glass top, diameter: 0.46 m, height: 0.48 m		48.30

Coat stands, refrigerators, miscellaneous

	68. Art. <input type="checkbox"/> Coat rack "Knigge" each steel matt finished, height: 1.70 m		25.90
	69. Art. <input type="checkbox"/> Coat rack with 5 hooks each color: white		21.50
	70. Art. <input type="checkbox"/> bag holder each stainless steel, two arms		41.80
	71. Art. <input type="checkbox"/> Kitchen shelf unit of plastic each 0.80 x 0.40 x 1.87 m black, 4 shelves load 50 kg per shelf		42.00
	72. Art. <input type="checkbox"/> Refrigerator each width: 0.60 m, depth: 0.60 m, height: 0.80 m, capacity: approximately 140 liters		72.50
	73. Art. <input type="checkbox"/> Coffee percolator for 10 cups each		18.10
	74. Art. <input type="checkbox"/> Waste paper basket each		9.50
	75. Art. <input type="checkbox"/> Crockery		on request

Hourly rates, flame-retardant impregnation (Items 1–3b)

Item 1	Work at hourly rate	at	EUR 45.20
Item 2	Carpentry work:		
Item 2a	Machine hour	at	EUR 64.20
Item 2b	Installation hour	at	EUR 45.20
Item 2c	Workshop hour	at	EUR 43.50
Item 3a	Flame-retardant impregnation (natural fibers only) at hourly rate	at	EUR 45.20
Item 3b	Flame-retardant agent	liter	EUR 24.30
Item 4	Computer graphics	per hour	EUR 73.20

Special Conditions for Services provided by Messebau Wörnlein GmbH

- This order form also acts as the contract to supply goods, unless cancelled by us.
- Unless otherwise stated, the rental charge is calculated for the duration of the event.
- Please note: The following surcharges will be made for orders and orders with incomplete information received less than 21 days before the start of the event:
Services at fixed prices (e.g. furniture ...) 25 %
hourly work (e.g. modifications ...) 50 %.
- The price quoted includes delivery, assembly and dismantling. Reductions in the price per m² of rental and exhibition stands cannot be considered for any deduction in services requested by the exhibitor.
- Unless otherwise stated, all items listed are available for rental only.
- The stand holder is liable for any damage caused by inappropriate handling of walls and fascias, for example, screwing, nailing and use of strong adhesives.**
- Missing or damaged rental goods will be charged at the cost of replacement. The exhibitor's liability commences on delivery and ceases on collection by the ServicePartner (even if exhibitor has already left the stand), up to a maximum of 24 hours after the end of event. Rental articles are not insured. Exhibition insurance is therefore recommended!
- Cancellation by the customer:**
The latest date that a customer can cancel a binding order is up to 21 calendar days before the beginning of the event. This cancellation must be sent in writing to Messebau Wörnlein GmbH. Notwithstanding the above, Messebau Wörnlein GmbH is entitled to the agreed-upon compensation for the services rendered up to that point. Immediately following delivery, the lessee is obliged to convince himself/herself of the proper condition of the rental items and the completeness of the delivery.
By accepting receipt of the goods, the lessee confirms flawless service. Potential complaints by the lessee with respect to services not in conformity with the contract must be made within 24 hours. Later objections are invalid.
The lessee is aware that the rental goods are used repeatedly and not always in mint condition. Normal traces of use do not constitute a reason for complaint.
- Payment is due in full immediately on receipt of the invoice. International checks, credit cards and credit transfer from outside the EUR (€)-area will be charged with EUR 13.95.
- A processing fee of EUR 30 plus VAT at the statutory rate will be charged for issuing a new invoice due to incorrect information provided by the applicant. This fee will be included in the new invoice issued.
- All prices are subject to the addition of VAT at the statutory rate.**
- The place of fulfillment and jurisdiction for both parties, including debt collection proceedings, is Nürnberg.

The ServicePartner settles accounts with exhibitors during the event.

The following credit cards are accepted: MasterCard, American Express, VISA.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Return to
AFAG Messen und Ausstellungen GmbH
Messezentrum 1, 90471 Nürnberg
Tel +49(0)911-98833-7000

or per Fax to +49(0)911-98833-7999
E-Mail: kundenbetreuung@afag.de

for forwarding
to our approved contractor *



14

Deadline
16. 11. 2018

Guarding of stands

Company: _____

Address: _____

Person responsible: _____

Tel: _____ / _____

Fax: _____ / _____

E-Mail: _____

Hall: _____ Stand: _____

Order (Binding, Special Conditions for Services overleaf)

VAT ID number of exhibitor:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Stand size: _____

Remarks: _____

☐ **Guarding of stands**

Cost per hour **EUR 26.80**
plus VAT at the statutory rate

Number of security guards: _____

☐ **Assembly**

Date: from _____ to _____

Time: from _____ to _____

☐ **During event**

Date: from _____ to _____

Time: from _____ to _____

☐ **Dismantling**

Date: from _____ to _____

Time: from _____ to _____

Please enter the name of authorized stand dismantling personnel/company in every case:

Surcharges:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.

Stand guarding is only carried out at night by the stand guard relieving the stand/assembly staff and vice versa. If guarding is required during the day, this must be stated separately on the order form.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

ServicePartner:

Engelhardt & Co.
Sicherheit GmbH
Messezentrum Nürnberg
ServicePartnerCenter
T +49 9 11 98 11 88-0
F +49 9 11 98 11 88-88

Please fill in for payment by credit card:

Issuer : ☐ MasterCard ☐ VISA ☐ American Express

Card no.: : _____ / _____ / _____

Card verification no.: (The last 3 digits next to the signature on the back of the card or for AMEX 4 digits on the front)

--	--	--	--

Expiry date : _____

Holder of card: _____

We authorize Engelhardt & Co. Sicherheit GmbH to debit the invoice amount from the above-mentioned credit card.

Signature: _____

Place and date

Company stamp and authorized signature

Special Conditions for Services provided by Engelhardt & Co. Sicherheit GmbH (Guarding of stands)

1. General performance of security service

The security company performs its activities under a contract for services with its personnel being employed in the capacity of agents. The selection of the personnel employed and the authority to issue instructions are incumbent on the ServicePartner. The latter is solely responsible for compliance with all legal, governmental, social law and industrial insurance obligations in respect of its employees.

2. Contract for services

The contract for security services takes effect on receipt of the written order on the order form overleaf and after written confirmation of the order by the ServicePartner. The order form must bear a company stamp and authorized signature. Orders at short notice are accepted directly in the office of the ServicePartner, but no obligation to perform the service exists until the order is confirmed in writing. The signatory of the order form declares that he is authorized to place the order. If the order is placed by a third party, e.g. a stand construction company, the person placing the order is liable personally if no proof of authority is provided on or after placing the order.

3. Contract performance

The ServicePartner undertakes to provide guarding of the stand indicated in the application during the agreed period by a reliable employee who will be solely responsible for the security of the stand. The contractual services are to be completed solely in accordance with the instructions for guarding the stand, which contain detailed regulations for performing the services. The instructions can be inspected in the offices of the company in the ServicePartnerCenter. To verify the time spent on duty, the watchman shall complete a time sheet, which shall be signed by the exhibitor when the guard is relieved. The time sheet shall be the basis for accounts rendered.

4. Duration of contract

The contract in each individual case will be effective for the period specified in the order. The full rate shall be charged for every half hour or part thereof. The minimum charge shall be for 4 hours per deployment.

5. Complaints

Complaints of any kind in respect of the performance of the service or other irregularities shall be reported immediately on being discovered to the management of the ServicePartner for the purpose of remedial action. Failure to report any complaints promptly may void any rights to which the client may be entitled on account of such complaints, if this means it is no longer possible to reliably determine the facts of the case. The ServicePartner shall bear no liability whatsoever for consequential damage that could have been avoided if the complaint had been reported in time.

6. Liability and limitation of liability

- 6.1 In the case of any claims arising for damage on whatever legal grounds, the ServicePartner shall be liable only to the extent such damage may have been caused by it, its statutory representatives or its staff either intentionally or by gross negligence.
- 6.2 The ServicePartner shall not be liable for damage caused by the actions of security personnel that are not connected with the actual security service, such as the operation and care of machinery, boilers, electrical or similar plants, if such actions were performed by the security personnel at the request of the client.
- 6.3 The client is obliged to assert claims in writing immediately after becoming aware of them. Clause 5 applies accordingly.
- 6.4 All claims of the client arising out of this contract expire by statutory limitation after a period of one year.

Commencement of limitation period: on becoming aware of claim.

- 6.5 The maximum amount of liability under clause 6.1 shall be limited as follows:

EUR	1,000,000.00	for personal injuries
EUR	500,000.00	for damage to property
EUR	15,000.00	for the loss of items guarded

7. Payment procedure

The service provided is due for payment in full immediately. The invoice amount is collected from the stand in cash by a representative of Engelhardt & Co. in all cases. Please inform the stand personnel accordingly and provide them with the necessary amount in cash. Cashless payment is only possible by separate agreement.

8. The place of jurisdiction and performance

is Nuremberg for both parties.
The agreed place of jurisdiction for asserting claims for debt payment is Nuremberg.